

## STAT 2000 Formula Sheet

1.  $SE(\bar{x}_1 - \bar{x}_2) = \sqrt{\frac{s_1^2}{n_1} + \frac{s_2^2}{n_2}}$  with  $df = \frac{\left(\frac{s_1^2}{n_1} + \frac{s_2^2}{n_2}\right)^2}{\frac{1}{n_1-1} \left(\frac{s_1^2}{n_1}\right)^2 + \frac{1}{n_2-1} \left(\frac{s_2^2}{n_2}\right)^2}$
2.  $SE(\bar{x}_1 - \bar{x}_2) = \sqrt{s_p^2 \left( \frac{1}{n_1} + \frac{1}{n_2} \right)}$  with  $df = n_1 + n_2 - 2$   
where  $s_p^2 = \frac{(n_1-1)s_1^2 + (n_2-1)s_2^2}{n_1+n_2-2}$
3.  $SSG = \sum_{i=1}^I n_i (\bar{x}_i - \bar{\bar{x}})^2$
4.  $P(X = k) = \frac{e^{-\lambda} \lambda^k}{k!}, \quad k = 0, 1, 2, \dots$
5.  $SE(\hat{p}_1 - \hat{p}_2) = \sqrt{\hat{p}_C (1 - \hat{p}_C) \left( \frac{1}{n_1} + \frac{1}{n_2} \right)}$  if  $p_1 = p_2$   
where  $\hat{p}_C = \frac{x_1 + x_2}{n_1 + n_2}$   
 $SE(\hat{p}_1 - \hat{p}_2) = \sqrt{\frac{\hat{p}_1 (1 - \hat{p}_1)}{n_1} + \frac{\hat{p}_2 (1 - \hat{p}_2)}{n_2}}$  if  $p_1 \neq p_2$
6.  $SE_b = \frac{s_e}{\sqrt{\sum (x_i - \bar{x})^2}}$  where  $s_e = \sqrt{MSE} = \sqrt{\frac{\sum (y_i - \hat{y})^2}{n-2}}$
7.  $t = \frac{r\sqrt{n-2}}{\sqrt{1-r^2}}$
8.  $SE_{\hat{\mu}} = s_e \sqrt{\frac{1}{n} + \frac{(x^* - \bar{x})^2}{\sum (x_i - \bar{x})^2}}$
9.  $SE_{\hat{y}} = s_e \sqrt{1 + \frac{1}{n} + \frac{(x^* - \bar{x})^2}{\sum (x_i - \bar{x})^2}}$